

AUG 07 2007

Arant; SN 09/397,325 filed 09/16/1999

STATUS OF CLAIMS

Claims 1-16 (cancelled).

1 17. (previously presented) An electronically controlled
2 method of selecting and copying selected information segments from
3 an input series of information segments so as to create an output
4 sequence constituting a new information body, comprising the steps
5 of:

6 (a) utilizing an electronic apparatus fo establish a transfer
7 location into which all of the information segments are to pass in
8 sequence;

9 (b) utilizing the electronic apparatus to set a dwell time for
10 each of the successive information segments to pause in the
11 transfer location;

12 (c) moving the input series of information segments into and
13 through the transfer location and visibly displaying each
14 information segment in the transfer location during that dwell
15 time;

16 (d) as the information segments occupy the transfer location,
17 copying selected ones of them into the output sequence;

18 (e) at the end of each dwell time interval, allowing the next
19 succeeding information segment in the input series to enter the
20 transfer location;

21 (f) after such movement of the input series, from time to time
22 manually controlling the apparatus to select a different dwell
23 time; and

24 (g) after the change in dwell time, again moving the input
25 series into and through the transfer location so that during such
26 further passage of the input information segments the time
27 available to the operator for deciding upon each prospective
28 transfer is the thus-modified dwell time.

Arant; SN 09/397,325 filed 09/16/1999

18. (previously presented) The method of Claim 17 wherein the information segments in the input sequence are also visibly displayed as they are approaching the transfer location.

19. (previously presented) The method of Claim 17 wherein each information segment is an alphanumeric character.

20. (previously presented) The method of Claim 18 wherein each information segment is an alphanumeric character.

21. (previously presented) The method of Claim 17 wherein after the change in setting of the dwell time the input sequence is repetitively moved into and through the transfer location.

22. (previously presented) The method of Claim 21 wherein the information segments are also visibly displayed as they approach the transfer location.

23. (previously presented) The method of Claim 21 wherein each information segment is an alphanumeric character.

Claims 24-31 (cancelled).

Arant; SN 09/397,325 filed 09/16/1999

1 Claim 32. (previously presented). In the art of
2 electronically copying selected information elements to create a
3 new information body, a method of optimally coordinating the eye,
4 hand, and thought actions of an operator, comprising the steps of:

5 electronically advancing a sequence of information elements at
6 a controlled speed into a known transfer location while visibly
7 displaying each of them there during a dwell time to permit the
8 operator to decide whether to select it for manually directed
9 copying into an output sequence;

10 after a plurality of the elements have been thus displayed at
11 the transfer location, manually adjusting the speed of the further
12 advance of the information elements and hence the dwell time; and

13 after that adjustment, advancing the sequence through the same
14 transfer location so as to visibly display additional information
15 elements during the thus-adjusted dwell time to permit each of them
16 to be selected for copying.

Claims 33 and 34. (cancelled).